

# UniFor

## Pannelli

LM panels, with modular structure in perforated sheet metal in a sandwich construction around a layer of fireproof rockwool for sound insulation.


LL panels, with inner structure in wood.

External profiles in extruded aluminum, designed to accommodate hanging accessories anywhere along the top and for connecting panels of different heights. The panels are joined by means of hinges with 360° rotation, with stops at 15° intervals. Height-adjustable PVC feet, in the color black. Fabric covering. The glass version has double glazing with exposed edges, while the frame is in extruded aluminum.

Their minimalist design, consisting of a few simple forms, makes their presence both subtle and strong, while at the same time compatible with every type of space.




**Pannelli LM**  
Fabric covered -  
Internal metal frame LM




**h cm. 103**

**60x3,3 cm**  
ELM 060 103 ..  
**80x3,3 cm**  
ELM 080 103 ..  
**90x3,3 cm**  
ELM 090 103 ..  
**100x3,3 cm**  
ELM 100 103 ..




**h cm. 128**

**60x3,3 cm**  
ELM 060 128 ..  
**80x3,3 cm**  
ELM 080 128 ..  
**90x3,3 cm**  
ELM 090 128 ..  
**100x3,3 cm**  
ELM 100 128 ..



**h cm. 153**

**60x3,3 cm**  
ELM 060 153 ..  
**80x3,3 cm**  
ELM 080 153 ..  
**90x3,3 cm**  
ELM 090 153 ..  
**100x3,3 cm**  
ELM 100 153 ..




**h cm. 166**

**60x3,3 cm**  
ELM 060 166 ..  
**80x3,3 cm**  
ELM 080 166 ..  
**90x3,3 cm**  
ELM 090 166 ..  
**100x3,3 cm**  
ELM 100 166 ..

### Pannelli LL

Fabric covered -  
Internal wood frame LL




**h cm. 103**

**60x3,3 cm**  
ELL 060 103 ..  
**80x3,3 cm**  
ELL 080 103 ..  
**90x3,3 cm**  
ELL 090 103 ..  
**100x3,3 cm**  
ELL 100 103 ..




**h cm. 128**

**60x3,3 cm**  
ELL 060 128 ..  
**80x3,3 cm**  
ELL 080 128 ..  
**90x3,3 cm**  
ELL 090 128 ..  
**100x3,3 cm**  
ELL 100 128 ..



**h cm. 153**

**60x3,3 cm**  
ELL 060 153 ..  
**80x3,3 cm**  
ELL 080 153 ..  
**90x3,3 cm**  
ELL 090 153 ..  
**100x3,3 cm**  
ELL 100 153 ..




**h cm. 166**

**60x3,3 cm**  
ELL 060 166 ..  
**80x3,3 cm**  
ELL 080 166 ..  
**90x3,3 cm**  
ELL 090 166 ..  
**100x3,3 cm**  
ELL 100 166 ..


### Pannelli LC

Glass panels LC



**h cm. 153**

**60x3,3 cm**  
ELC 060 153 ..  
**80x3,3 cm**  
ELC 080 153 ..



**h cm. 166**

**60x3,3 cm**  
ELC 060 166 ..  
**80x3,3 cm**  
ELC 080 166 ..

### Accessories



**Terminal joint and adjustable ground foot**

3,2x3,2xH1,2 cm  
E LA G1 ..




**Two-way joint and adjustable ground foot**

6,5x3,2xH1,2 cm  
E LA G2 ..



**Three-way joint and adjustable ground foot**

6,5x3,2xH1,2 cm  
E LA G3 ..



**Four-way joint and adjustable ground foot**

6,5x6,5xH1,2 cm  
E LA G4 ..



**Height connection and adjustable foot**

4,5x3,2xH1,2 cm  
E LA RA ..



**Transverse connection and adjustable ground foot**

4,5x3,2xH1,2 cm  
E LA RT ..

### Profiles - Accessories finishes

Epoxy powder coating



**D7**  
Charcoal dark grey



**VP**  
Platinum grey



**KS**  
Soft Black



**T0**  
Ash medium grey



**C7**  
Calce white

### Glasses finishes

Glass panels with profiles  
D7 - T0 - VP - C7 - KS



**VV**  
Glass  
Green Sea Water




**VC**  
Transparent  
glass



**CS**  
Frosted  
glass

### Coverings finishes

Panels in fabric with profiles  
D7 - T0 - VP - C7 - KS




**J2**  
COM fabric



**Q1**  
Chip fabric



**K3**  
Remix 2 fabric



**J3**  
Mirage fabric



**Q2**  
File fabric



**K4**  
Sole fabric



**Q0**  
Revive 1 fabric



**Q3**  
Note fabric



UniFor has management system certified according to UNI EN ISO 9001 and UNI EN ISO 14001.

The products are in conformance with the Italian decree law DLGS 81:2008 and with all of the principal regulations applicable to the various types of products.

The products described in this catalog are made with class E1 materials (low formaldehyde content) and are Greenguard® certified.