

# UniFor

## Less

This modular system is conceived for contemporary work environments, but not only. The tables, containers, and bookcases take the form of solid metal structures defined by clean lines, smooth surfaces and compact contours.



# UniFor

## Less

### Tables

The table is configured as a monolithic structure made entirely of metal; the legs consist of steel bars in L shaped profiles, 8mm thick, while the table top is entirely in folded sheet iron. The legs and top are assembled together by means of a special fastening system that ensures elevated safety and technical performance.

The table is available in both rectangular and square forms, in various sizes and two heights. It can be used as a desk, in both executive and task-area versions, also in the L-configuration with an adjoined typing table, or as a meeting table. All of the metal components are treated with special high-strength paints.

### Drawer pedestal

On glides or casters, with three drawers, one for hanging folders. The fall-front door at the rear provides access to a space for cable management.

### Totem


Tall swivel tower cabinet accessible from two sides, with internal partition. The two doors open from one side to the other in a smooth pantograph motion by means of a patented mechanism. The tower contains eight metal shelves. Equipped with a unique door-opening mechanism (with rotation plus lateral shift), Totem is a swivel tower cabinet on a fixed base, accessible from two sides to make good use of its depth. Designed for archival storage, the cabinet presents itself as a smooth, compact monolith when closed.

### Bookcases

With open shelving or with drop-front doors. The lower part of the bookshelves is made entirely in contoured sheet metal, while the legs are composed of extruded L-shaped steel profiles.

Manufactured in various lengths and heights (with two, three, or four shelves) the bookshelf is available both in the library version, completely open, and in the file storage version, closed with file front doors which, when open, become handy surfaces for consultation. All the metal components are treated with special high-strength paints.

### Tables




#### Table depth cm. 70

**110x70 cm**  
CLS 110 70 ..


**140x70 cm**  
CLS 140 70 ..

**210x70 cm**  
CLS 210 70 ..



#### Table depth cm. 80


**160x80 cm**  
CLS 160 80 ..



#### Table depth cm. 90


**190x90 cm**  
CLS 190 90 ..  
predisposed for return  
connection

**240x90 cm**  
CLS 240 90 ..  
predisposed for return  
connection



#### Table depth cm. 110

**230x110 cm**  
CLS 230 110 ..  
predisposed for return  
connection




#### Return

**110x70 cm**  
CLS 110 70 L ..



#### Table depth cm. 45


**180x45 cm**  
CLS 180 45 ..



#### Square tables


**100x100 cm**  
CLS 100 100 ..

**140x140 cm**  
CLS 140 140 ..



#### Square low table

**100x100 cm**  
CLS 100 100 B ..



#### Bench

**180x45 cm**  
CLS 180 45 P ..  
with black leather  
cushion

### Cabinets




#### Two drawers and one file drawer

**41x60 cm**  
C LS 41 60 C3 ..  
inspectionable  
back



#### Filing frame


**29x46 cm**  
D DS 522 41 ..



#### Rotating tower cabinet, double-sided


**60x80 cm**  
C LS 60 190 ..

### Library width cm. 160




#### Library height cm. 80

**160x45 cm**  
C LS 160 080 A ..  
closed version  
with flap door  
**160x40 cm**  
C LS 160 080 G ..  
open version



#### Library height cm. 120


**160x45 cm**  
C LS 160 120 A ..  
closed version  
with flap doors  
**160x40 cm**  
C LS 160 120 G ..  
open version



#### Library height cm. 160


**160x45 cm**  
C LS 160 160 A ..  
closed version  
with flap doors  
**160x40 cm**  
C LS 160 160 G ..  
open version

### Library width cm. 240




#### Library height cm. 80

**240x45 cm**  
C LS 240 080 A ..  
closed version  
with flap door  
**240x40 cm**  
C LS 240 080 G ..  
open version



#### Library height cm. 120

**240x45 cm**  
C LS 240 120 A ..  
closed version  
with flap doors  
**240x40 cm**  
C LS 240 120 G ..  
open version



#### Library height cm. 160

**240x45 cm**  
C LS 240 160 A ..  
closed version  
with flap doors  
**240x40 cm**  
C LS 240 160 G ..  
open version

**Tables and cabinets finishes**  
Liquid coating



ISO 9001



ISO 14001

UniFor has management system certified according to UNI EN ISO 9001 and UNI EN ISO 14001.

The products are in conformance with the Italian decree law DLGS 81:2008 and with all of the principal regulations applicable to the various types of products.

The products described in this catalog are made with class E1 materials (low formaldehyde content) and are Greenguard® certified.