TDS Technical Data Sheet Release Date 2025



The iSatelliti S/200 workstation system consists of individual and multiple configurations, with fixed or electrically adjustable desktop heights.

The structural components – beams, crossbeams, legs and feet – can be combined in various ways to create high-performance workstations in terms of stability, solidity and safety.

Each workstation has two legs, which also house the adjustment mechanism for raising and lowering the height of the desktop. The edges of the desktops can be flat or rounded. There are two types of feet: rectangular for individual workstations and circular for multiple configurations.


In both cases the legs are linked by a horizontal beam that transforms them into a single structural unit. The beam gives the workstation excellent structural stability while also providing support for the cable management components.

The cable management system is configured on two levels: the primary level is integrated within the fixed part of the base, while the secondary level is mounted beneath the top. The electrical cables are contained in sheet metal trays, with a closing door, or in wire mesh baskets, both epoxy powder coated.


Divider panels permit various privacy configurations for both the individual and multiple workstations, which can be further personalised by means of individual cable hatches and various types of electrical control modules.

The flexibility of the iSatelliti S/200 system makes it possible to reconfigure the workstations at any time. The system is completed by square and round meeting tables in various sizes and finishes.

### STRAIGHT EDGE DETAIL







160×80×H3 cm TS2 160 80 M ..

180×80×H3 cm TS2 180 80 M ..



Table tops with straight edge and with 2 rounded front corners

160×80×H3 cm TS2 160 80 M2 ..

180×80×H3 cm TS2 180 80 M2 ..



Table tops with straight edge and with 2 rounded front corners

160×80×H3 cm TS2 160 80 M4 ..

180×80×H3 cm TS2 180 80 M4 ..

#### **S200 EDGE DETAIL**










TABLE TOPS WITH S200 EDGE

Table tops with 1 shaped S200 edge

Table tops with 1 shaped S200 edge and 2 rounded rear corners

and 2 rounded front corners 180×90×H12 cm


Table tops with 3 shaped S200 edges

160×80×H3 cm TS2 160 80 S1 .. 180×90×H12 cm TS2 160 80 S2 ..

TS2 160 80 S3 ..

180×80×H3 cm TS2 180 80 S1 .. 210×90×H12 cm TS2 180 80 S2 .. 210×90×H12 cm TS2 180 80 S3 ..






S/200 RECONFIGURABLE STRUCTURES

Fixed legs Kit 2 legs

22×23×H71 cm TS2 GF .. **Electrically height adjustable legs** Kit 2 legs, from H65 cm to H125 cm over the top

22×23×H65/125 cm TS2 GE ..





### Control unit kit and cables

Control unit kit and cables (UE) TS2 GE KC EU

Control unit kit and cables (CH) TS2 GE KC CH

Control unit kit and cables (AU) TS2 GE KC AU

Control unit kit and cables (US) TS2 GE KC US

Control unit kit and cables (JP) TS2 GE KC JP

Control unit kit and cables (GB) TS2 GE KC GB

### Switch

Black only

Simple control panel (no memory, no display) TS2 PUS

Control panel with memory and display TS2 PU MD



## Main beam for connecting pairs of legs for single workstation

For table tops length 160 cm 130×8×H8 cm TS2 TP 160 S ..

For table tops length 180 cm 150×8×H8 cm TS2 TP 180 S ..



# Main beams for connecting pairs of legs and cross beams for double-sided configurations

For table tops length 160 cm 130×68×H8 cm TS2 TP 160 D ..

For table tops length 180 cm 150×68×H8 cm TS2 TP 180 D ..



## Kit with two feet for single workstation

60×9×H17 cm TS2 PS ..



Kit with feet for double-sided configuration

TS2 PD ..



#### PRIMARY, SECONDARY BASKETS AND BRIDGES ALL CLOSED FOR S/200 RECONFIGURABLE

## Closed primary cable tray with doors for single workstation

n. 1 included cable riser

For table tops length 160 cm 133×16×H8 cm TS2 WP 160 S ..

For table tops length 180 cm 153×16×H8 cm TS2 WP 180 S ..




# Closed primary cable tray with doors for double-sided workstation

n.1 tray for 2 workstations, n.2 included cable risers

For table tops length 160 cm 118×41×H8 cm TS2 WP 160 D ..


For table tops length 180 cm 138×41×H8 cm TS2 WP 180 D ..





#### End caps kit for closed cable tray for multiple configurations To be applied only at the end

of the configuration

For table tops length 160 cm 40,5×0,15×H8 cm TS2 WT ..








SECONDARY CLOSED BASKETS FOR S/200 RECONFIGURABLE

Closed secondary cable tray with doors, for single and double workstations

n.1 tray for each workstation

106×14×H10 cm TS2 WS .. Closed bridge cable tray for double configurations Bridge connecting structure

46,8×41×H8 cm TS2 WC C ..




PRIMARY OPEN BASKETS FOR S/200 RECONFIGURABLE


Open primary cable tray with doors for double-sided workstation


n.1 tray for 2 workstations, n.2 included cable risers

For table tops length 160 cm 116×41×H8 cm TS2 WP 160 DA ..

For table tops length 180 cm 136×41×H8 cm TS2 WP 180 DA ..








SECONDARY OPEN BASKETS FOR S/200 RECONFIGURABLE


Open secondary cable tray with doors, for single and double workstations

n.1 tray for each workstation

106×14×H10 cm TS2 WS A .. Closed bridge cable tray for double configurations Bridge connecting structure

47×41×H8 cm TS2 WC C AC ..






S/200 NON RECONFIGURABLE STRUCTURES FOR DOUBLE S/200

**Fixed bridge leg** Kit 2 gambe

106×22×H71 cm TS2 GF D .. Elettrically height adjustable bridge leg from 65 cm to 125 cm over the top Da H65 cm a H125 cm sopra piano

106×22×H65/125 cm TS2 GE D ..





### Control unit kit and cables

Control unit kit and cables (UE) TS2 GE KC EU

Control unit kit and cables (CH) TS2 GE KC CH

Control unit kit and cables (AU) TS2 GE KC AU

Control unit kit and cables (US) TS2 GE KC US

Control unit kit and cables (JP) TS2 GE KC JP

Control unit kit and cables (GB) TS2 GE KC GB

### Switch

Only Black

Simple switch TS2 PU S

Control panel with memory and display TS2 PU MD

PRIMARY AND SECONDARY

**SCREENS FOR SINGLE** 

AND DOUBLE WORKSTATIONS

FOR S/200 NON-RECONFIGURABLE


**OPEN BASKETS** 



# Open primary cable tray for double-sided workstation

n.1 tray for 2 workstations, n.2 included cable risers


136×41×H8 cm TS2 WP 180 DA ..



# Open secondary cable tray with doors, for single and double workstations

n.1 tray for each workstation

106×14×H10 cm TS2 WS A ..



## Closed bridge cable tray for double configurations

Bridge connecting structure

For table tops length 160 cm 27×41×H8 cm TS2 WC C AC ..

For table tops length 180 cm 47×41×H8 cm TS2 WC C A ..



# Front screen fixed to the floor for single and double workstations

For table tops length 160 cm 135×0,5×H42 cm TS2 SC 160 C ..

For table tops length 180 cm 156×0,5×H42 cm TS2 SC 180 C ..




## Left side screen for single workstation

64×12×H42 cm TS2 SC S ..



## Left side screen for double workstation

64×12×H42 cm TS2 SC S ..





### Screen for double workstation

For table tops length 160 cm  $160 \times 1.9 \times H65$  cm TS2 SD 160 ..

For table tops length 180 cm 180×1,9×H65 cm TS2 SD 180 ..







**ACCESSORIES** 

Cable entry slots


For all table tops 53,5×6,5×H3 cm TS2 SP 53 6A ...

Flip access door

For all table tops 40×8×H3 cm TS2 SP 40 10R ..

Flip access door

Only for table tops TS2 160/180 S1-S2-S3  $40,5\times13,2\times H3$  cm TS2 DP 40 13 ..



Cable riser from floor to primary cable tray

For reconfigurable single workstations 9,8×2,3 cm TS2 CS ..

For reconfigurable double workstations 9,8×2,3 cm TS2 CD ..

For non-reconfigurable double workstations 9,8×2,3 cm TS2 CA ..





## MEETING TABLES WITH STRAIGHT EDGE

## Squared tables composed of n.1 table top and n.1 leg

Table top (TS2 120 M Q) and base (TS2 R 65 P)  $120 \times 120 \times H72$  cm TMM 120 Q ..

Table top (TS2 140 M Q) and base (TS2 R 75 P)  $140 \times 140 \times H72$  cm TMM 140 Q ..

Table top (TS2 160 M Q) and base (TS2 R 75 P)  $160 \times 160 \times H72$  cm TMM 160 Q ..

## Round tables composed of n.1 table top and n.1 leg

Table top (TS2 120 M R) and base (TS2 R 55 P)  $120 \times 120 \times H72$  cm TMM 120 R ..

Table top (TS2 140 M R) and base (TS2 R 65 P)  $140 \times 140 \times H72$  cm TMM 140 R ..

Table top (TS2 160 M R) and base (TS2 R 75 P)  $160 \times 160 \times H72$  cm TMM 160 R ..





#### MEETING TABLES WITH S200 EDGE

## Squared tables composed of n.1 table top and n.1 leg

Table top (TS2 120 Q) and base (TS2 R 65 P) 120×120×H72 cm T2M 120 Q ..

Table top (TS2 140 Q) and base (TS2 R 75 P) 140×140×H72 cm T2M 140 Q ..


Table top (TS2 160 Q) and base (TS2 R 75 P) 160×160×H72 cm T2M 160 Q ...

## Round tables composed of n.1 table top and n.1 leg

Table top (TS2 120 R) and base (TS2 R 55 P) 120×120×H72 cm T2M 120 R ..

Table top (TS2 140 R) and base (TS2 R 65 P) 140×140×H72 cm T2M 140 R ..

Table top (TS2 160 R) and base (TS2 R 75 P) 160×160×H72 cm T2M 160 R ..



please contact our Sales Department

LEGS, STRUCTURES, **ELECTRIFICATION AND** Charcoal painting Ash painting Platinum Grey painting **ACCESSORIES FINISHES** Epoxy powder coating KS Calce White painting Soft black painting J2 COM fabric HANGING SCREENS FOR SINGLE J3 AND DOUBLE WORKSTATIONS Mirage fabric **FINISHES** Fabric Q0 **Q**1 File fabric Revive 1 fabric Chip fabric Κ4 Remix 3 fabric Sole fabric

## HANGING SCREENS FOR SINGLE WORKSTATIONS FINISHES

Felt

Interior side in felt, exterior side painted in: D7-T0-VP-C7-KS

It is necessary to specify when ordering the finish of the external side

**FY** Felt

For other finishes, please contact our Sales Department

UniFor adopts management systems for quality, environment, and workplace health and safety, compliant with and certified according to UNI EN ISO 9001, UNI EN ISO 14001, and UNI ISO 45001 standards.

UniFor products are UL GREENGUARD Gold® certified, demonstrating compliance with chemical emissions standards and a commitment to protecting people and the environment, in line with the limits set by the UL GREENGUARD program.

Upon request, UniFor can provide products made with FSC® (FSC-C005654) certified materials. For more information, please contact UniFor at unifor@unifor.it."

**UniFor** Technical Data Sheet

moltenigroup.com